



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden  
estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2017 – June 30, 2018

Filing Confirmation Number: 0008282795

Filing Deadline: July 16, 2018

FRN: 0023603830

Filing Date: 07/13/2018 04:28 AM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period?  
No

Date that you ceased to be a small entity?

#### Company Information

Company Name: TCL Communication Ltd.

Brand Names: Alcatel Onetouch  
Blackberry

PO Box:

Street Address: 5th Floor, Building 22E, 22 Science Park East Avenue

City: Kowloon, Hong Kong

State: CA

Zip Code: 92606

Contact Name: Vivian Lau

Contact Phone: (318) 028-6200

Contact Fax:

Contact Email: vivian.lau@tcl.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

## Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE or Wi-Fi Calling, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over Voice over LTE or Wi-Fi Calling, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

## Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: Alcatel:

<https://us.alcatelmobile.com/accessibility-compliance/hearing-aid-compatibility/> Blackberry:

<https://blackberrymobile.com/us/compliance/hac/>

Explain:

## Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Nil

## Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 32

## Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 32

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets Number    Percent	Total by Air Interface
	Number	Percent	Number	Percent		
GSM	26	87%	4	13%		30
CDMA	6	100%				6
WCDMA	26	87%	4	13%		30
LTE	27	87%	4	13%		31
Wi-Fi	27	87%	4	13%		31

## Handset 1: TCL Communication Ltd. 4028S

### Handset Maker

TCL Communication Ltd.

### Handset Model Name

4028S

### FCC ID

2ACCJH027

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 07/17 to 06/18

### Ratings

M-Rating: M3

M-Rating Certification Date: 08/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 2: TCL Communication Ltd. 4043S

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

4043S

2ACCJA007

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

### Handset 3: TCL Communication Ltd. 4044O

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

4044O

#### FCC ID

2ACCJN012

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 01/10/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/10/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 4: TCL Communication Ltd. 4044T

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

4044T

#### FCC ID

2ACCJN010

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA

850 MHz LTE  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2500 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 01/13/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/13/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 5: TCL Communication Ltd. 4044V

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

4044V

#### FCC ID

2ACCJN013

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

## Ratings

M-Rating: M4

M-Rating Certification Date: 02/10/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

### Handset 6: TCL Communication Ltd. 4044W

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

4044W

#### FCC ID

2ACCJN011

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

## Dates

This handset model was offered from: 07/17 to 06/18

## Ratings

M-Rating: M3

M-Rating Certification Date: 01/05/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/05/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 7: TCL Communication Ltd. 4060A

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

4060A 2ACCJB039

4060O 2ACCJB039

4060W 2ACCJB039

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 08/01/16



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/01/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 8: TCL Communication Ltd. 5027B

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

5027B

2ACCJB053

Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2500 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 04/20/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/20/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 9: TCL Communication Ltd. 5042T

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

5042T

#### FCC ID

2ACCJA002

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 02/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 10: TCL Communication Ltd. 5044C

### Handset Maker

TCL Communication Ltd.

### Handset Model Name

### FCC ID

5044C

2ACCJB079

5044R

2ACCJB079

### Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 07/17 to 06/18

### Ratings

M-Rating: M4

M-Rating Certification Date: 01/02/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/02/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 11: TCL Communication Ltd. 5049S

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

5049S

#### FCC ID

2ACCJB083

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/12/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 12: TCL Communication Ltd. 5049W

### Handset Maker

TCL Communication Ltd.

### Handset Model Name

### FCC ID

5049W

2ACCJB089

5049Z

2ACCJB089

### Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 07/17 to 06/18

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/28/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 13: TCL Communication Ltd. 50540

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

50540

2ACCJA009

Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 10/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 14: TCL Communication Ltd. 5054S

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

5054S

#### FCC ID

2ACCJA010

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 09/01/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/01/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 15: TCL Communication Ltd. 5056E

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

5056E

2ACCJB065

Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 06/17/16



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/17/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 16: TCL Communication Ltd. 5056N

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

5056N

#### FCC ID

2ACCJB062

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/02/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/02/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 17: TCL Communication Ltd. 5085C

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

5085C

#### FCC ID

2ACCJH072

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 05/22/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/22/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 18: TCL Communication Ltd. 5095I

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

5095I

#### FCC ID

2ACCJH043

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 04/27/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

---

## Handset 19: TCL Communication Ltd. 50980

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

50980

2ACCJB061

Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 06/28/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 20: TCL Communication Ltd. 5099A

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

5099A

#### FCC ID

2ACCJBT08

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M3

M-Rating Certification Date: 12/26/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

---

## Handset 21: TCL Communication Ltd. 6045I

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

6045I

2ACCJN002

Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 04/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

---

## Handset 22: TCL Communication Ltd. 60450

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

60450

2ACCJN005

Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 09/01/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/01/15

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 23: TCL Communication Ltd. 6055U

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

6055U

#### FCC ID

2ACCJA018

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 08/10/16



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/10/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 24: TCL Communication Ltd. 6060C

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

6060C

2ACCJA021

Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2300 MHz LTE  
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 05/18/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/18/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 25: TCL Communication Ltd. 60700

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

60700

#### FCC ID

2ACCJN008

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 07/12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/12/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 26: TCL Communication Ltd. 6071W

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

6071W

2ACCJN009

Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/01/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 27: TCL Communication Ltd. A576BL

### Handset Maker

TCL Communication Ltd.

### Handset Model Name

### FCC ID

A576BL

2ACCJB075

A576RW

2ACCJB075

### Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 07/17 to 06/18

### Ratings

M-Rating: M4

M-Rating Certification Date: 01/09/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/09/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 28: TCL Communication Ltd. A577VL

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

A577VL

2ACCJB076

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 12/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/22/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 29: TCL Communication Ltd. BBA100-1

### Handset Maker

TCL Communication Ltd.

### Handset Model Name

BBA100-1

### FCC ID

2ACCJN022

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

### Dates

This handset model was offered from: 07/17 to 06/18

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 30: TCL Communication Ltd. BBB100-1

### Handset Maker

TCL Communication Ltd.

### Handset Model Name

BBB100-1

### FCC ID

2ACCJN016

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM

850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2300 MHz LTE  
2500 MHz LTE  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/22/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/22/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 31: TCL Communication Ltd. BBB100-3

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

#### FCC ID

BBB100-3

2ACCJN017

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA

1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2300 MHz LTE  
2500 MHz LTE  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 32: TCL Communication Ltd. BBD100-2

#### Handset Maker

TCL Communication Ltd.

#### Handset Model Name

BBD100-2

#### FCC ID

2ACCJN020

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2300 MHz LTE  
2500 MHz LTE  
2600 MHz LTE

#### Dates

This handset model was offered from: 07/17 to 06/18



## Ratings

M-Rating: M4

M-Rating Certification Date: 09/15/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/15/17

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

---

## Certification

This Report has been certified by:

Vivian Lau Legal Counsel  
07/13/2018 04:28 AM